## MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

(Land Document, 7/12 Extracts, Title Verification, Building Deed, Building Approved Final plan by Corporation/Municipal Council, Hospital, College Architect Certified Rooms sizes (Dimensions)

Constructed Area – College Hospital, Hostel, Accommodation)

## **INFRASTRUCTURE**

SN	Particulars to be verified	Details on College Website	Adequate/ Inadequate
1	COLLEGE		
1	Land details: Total land, owner, unitary or not, NA of all land, 7/12 extract of all land (Applicable only to Private Colleges).  (Verify land documents & Government permissions documents are uploaded on College Website.  No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University).	Yes	Adequate
2	Total constructed area of college building (Minimum 5 acres of land)	Yes	Adequate
	a) Dean's room b) Administrative Officers' room c) Meeting room d) Office e) Office Stores f) Pantry etc.	Yes	Adequate
3	Library 11000.08 Sq. Ft. consisting of:		
	a) Reception & waiting, Property counter b) Issue counter c) Photocopying area d) Reading room to accommodate 50% of total students strength e) Postgraduates & staff reading room f) Journal room g) Audio-visual room h) Chief librarian room i) Stores and stocking area j) E-Consortium provision to be provided in the College Library connecte with the National Medical Library	Yes	Adequate
4	Lecture Halls – 4 86160 Sq. Ft.  Each hall to accommodate 10% more of admission strength with proper seating arrangement, blackboard, microphone and facilities for slide, overhead and multi-media projection.	Yes	Adequate
5	Central Store 1130 Sq. Ft.  With proper storing facilities like racks and refrigerator, preferably compact storage systems.	Yes	Adequate
6	Maintenance room 1000 Sq. Ft.  Equipped with proper facilities to maintain and repair dental chairs and units and various other equipments in the college and hospital.	Yes	Adequate
7	Photography and artist room 400 Sq. Ft.  With proper studio facilities for clinical photography, developing, preparation of slides, charts, models etc.	Yes	Adequate

8	Medical stores 300 Sq. Ft.		
	Stocked with all the necessary drugs usually prescribed in a dental hospital	al. Yes	Adequate
9	Amenities area 3200 Sq. Ft.		
	a) Boys' and Girls' locker rooms	Yes	Adequate
	b) Boys' and Girls' common rooms	Yes	Adequate
	c) Common room for non-teaching staff	Yes	Adequate
	d) Common room for teaching staff	Yes	Adequate
	e) Change room for men	Yes	Adequate
	f) Change room for women	Yes	Adequate
10	Compressor and room for gas plant 400 Sq. Ft.		. raequate
	Adequate to accommodate required capacity compressors, gas cylinde etc.	rs Yes	Adequate
11	Pollution control measures:		
	All the dental institutions shall take adequate pollution control measures be providing incarnation plant, sewage water treatment plant, landscaping of the campus etc.	of Yes	Adequate
12	Cafeteria 1022 Sq. Ft.		
	With accommodation for 100 people with kitchen, stores, washing area etc	. Yes	Adequate
13	University Examination Infrastructure:		
	Examination Hall 19375 Sq. Ft.		
	A separate hall for university and other examination furnished with chair and individual tables to accommodate 250 students at a time.	Yes	Adequate
	Strong Room: 500 sq. ft.		
	Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboar – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle, Guest house facility  Hostels:	d g Yes	Adequate
	Hostel accommodation shall be provided for all boys and girls based o number of admissions in the Dental College campus itself. Th accommodation may be increased in a phased manner over a period of years.	e	Adequate
-	Staff quarters:		
	All the staff members, teaching and non-teaching working in the institution shall be provided adequate accommodation in the 5 acres land earmarked for the college. The staff quarters may be built in a phased manner over a period of 4 years.	d .	Adequate
-	Play ground:		A .II 4 .
	There shall be facilities for both indoor and out-door games in the premises	. Yes	Adequate
3	Auditorium:  Should accommodate at least 500 people and consisting of:  Proper seating arrangements, reception counter, green rooms, lobby, fitted with sound system, slide and multimedia presentation facility.	l Yes	Adequate
	HOSPITAL		
7 i)		Yes	Adequate
ii		Yes	Adequate
iii		Yes	Adequate
iv		Yes	Adequate
V)	Annual Occupancy	Yes	Adequate
vi	i) ICCU Bed Strength	Yes	Adequate
vi	ii) Laboratories	Yes	Adequate
vi	iii) Casualty Department	Yes	Adequate
ix	c) Equipment's	Yes	Adequate
x)	) Paramedical Staff	Yes	Adequate

xii)	Student: Patient Ratio	V	
		Yes	Adequat
	Laboratories:		
	I. Dental subjects:		
a)	Pre-clinical Prosthodontics and dental material lab – 2373 Sq. Ft.		
a	Tre-clinical Frostriouontics and dental material lab = 25/5 Sq. Ft.	Yes	Adequat
b)	Pre-clinical Conservative lab 2745 Sq. Ft.	Yes	Adequat
c)	Oral biology and oral pathology lab 5620 Sq. Ft.	Yes	Adequat
d)	Laboratory for Orthodontics and paedodontics 1500 Sq. Ft.	Yes	Adequat
	II. Medical Subjects: (only for independent dental colleges):	NA	
a)	Anatomy dissection hall with storage for cadaver, osteology, demonstration room etc. Area	NA	
b)	One laboratory for physiology and pathology and microbiology with stores and preparation rooms for individual subjects attached to it.  AreaSq. Ft.	NA	
c)	Laboratory for biochemistry and pharmacology with store and preparation rooms separately for both subjects	NA	
	III. Clinical:		
a)	Prosthodontics –		
	Plaster room		
	Polymer room	V	
	Wax room	Yes	Adequat
	Casting laboratory		
	Ceramic lab 2250 Sq. Ft.		
b)	Conservative Dentistry – Plaster room	Yes	Adequat
	Casting & Ceramic laboratories –2250 Sq. Ft.	1 03	Aucquat
c)	Oral pathology for histopathology – 5820 Sq. Ft.		
d)	Haematology and clinical biochemistry: a laboratory for routine blood and biochemical investigation and urine analysis 5826 Sq. Ft.	Yes	Adequat
	Distilled Water Plant	Yes	Adequat
	Medical College Attachment		
a)	Own Medical College?	Yes	Adequat
b)	Private Medical College?	Yes	Adequat
c)	Govt. Medical College?		
d)	Name & address of the Medical College NKP SALVE INSTITUTE OF MEDICAL SCIENCES & RESEARCH CENTRE, NAGPUR	YES	Adequat
e)	E-mail address & contact number - deanofficenkpsims@gmail.com & 07104 - 665000	Yes	Adequat
f)	Is the Medical College duly recognized by Medical Council of India?	Yes	Adequat
g)	Distance from Dental college to Medical college by road (SAME CAMPUS) (please clarify as to whether you have physically verified /taking the	Yes	Adequat
h)	reading of Taxi/Car Meter) by ticking yes or no  Whether MOU is signed by competent Authorities between Medical	Yes	Adequate
:\	and Dental College for teaching purpose?		•
i)	Validity Period of MOU		
j)	Whether the above mentioned Medical College is attached to any other Dental College other than the proposed dental college?  GOI Notification No. & Dated	No	

	dents drawn up in accordance with the parameters prescribed by 'NABH (applicable if Medical College is more than 10 kms away).	<u></u>	
a)	Own Hospital?	Yes	Adequate
b)	Medical College Hospital?	Yes	Adequate
c)	Private College Hospital?	Yes	Adequate
d)	Govt. General Hospital?	No	
e)	Whether the permission of the attached 100 bedded hospital is issued by the competent authority?	Yes	Adequate
f)	Name & address of the Hospital LATA MANGESHKAR HOSPITAL DIGDOH HILLS, NAGPUR	Yes	Adequate
g)	Name of the CMO with Tel No. & Mobile No.: <b>Dr. Ravikant Kalmegh</b> , 07104-7888006620, 9764565708	Yes	
h)	Name of the Issuing Competent Authority: DEAN NKP SIMS, DIGDOH	Yes	
i)	Distance of the hospital from the Dental College by road (SAME CAMPUS)		Adequate
	(please clarify as to whether you have physically verified /taking the reading of Taxi/Car Meter) by ticking yes or no	Yes	Aucquate

Total number of beds in Hospital: 1040

Category-wise bed distribution:

			Occupancy		Damada
Department	Required Alloted last 6 months in	On the day of inspection	Remarks of the Inspector		
General Ward – Medical including allied specialties	30	30	86.66		
General Ward – Surgical including allied specialties	30	30	84.13		
Private Ward (A/C Non A/C	9	9	70.55		
Maternity Ward	15	15	80.88		
Pediatric Ward	6	6	85.35		
Intensive Care Services (4% of bed strength)	4	4	88.52		
Critical Care Services (6% of bed strength)	6	6	82.76		

Area Requirements (As per BIS/NABH)

	Required	Available
Covered Area	20 sq.m. / bed	Available
Inpatient Services	40%	Available
Outpatient Services	35%	Available
Department and supportive services	25%	Available

Dean / Principal Stamp & Signature

NAGPUR X

DEAN
VSPM'S Dental College &
Research Centre, Digdoh Hills,
Hingna Road, Nagpur-440019